


FOOTWAY / CYCLEWAY - FLEXIBLE CONSTRUCTION TABLE SELECTOR			
	FOOTWAY / CYCLEWAY TYPE 1 / 1A	CROSSOVER TYPE 1 (STANDARD)	CROSSOVER TYPE 2 (INDUSTRIAL)
SUB-BASE			
Type 1 / Type 2 (Clause 803)	150 (See Note 5)	225	270
BASE			
32mm Dense Asphalt Concrete Base 40/60 PEN	-	-	100
BINDER COURSE			
20mm AC Dense Bin 40/60 (or 160/220 see note 8)	60	60	60
SURFACE COURSE			
Heavy Traffic Option: HRA 30/10 F Surf 40/60	-	25	25
HRA 45/6 Surf 160/220	-	-	-
AC6 Dense Surf 100/150 (or 160/220 see note 8)	20	20	-
10mm Close Graded Asphalt Concrete Surface Course 100/150	-	-	30



- NOTES:
- Remove 80mm of existing footway surface and replace with partial footway construction consisting of: AC 6 dense surf 100/150 (20mm thick), AC 20 dense bin 100/150 (60mm thick) to BS EN 13108-2006. Re-grade surface at dropped kerb locations. New footway surfacing to achieve standard gradients.
 - 125 x 255mm pre-cast concrete kerb type HB2
 - 125 x 255mm pre-cast concrete kerb type DR1/DL1
 - 125 x 150mm pre-cast concrete kerb type BN (6mm upstand)
 - New 50 x 150mm type EF concrete edgings
 - Existing EF concrete edgings to be removed
 - Existing EF concrete edgings to remain
 - Existing gully grating and frame to be removed. Supply and install new C250 450x450mm access cover and frame.

1. The use of this drawing does not absolve the client from his responsibilities under Health & Safety: The Construction (Design & Management) Regulations 2015.

2. All works within the confines of the highway shall be signed in accordance with The Department for Transport's 'Traffic Signs Manual' 2009 Chapter 8 'Traffic Safety Measures & Signs for Road Works & Temporary Situations'.

3. All Road markings shall be laid in accordance with The Traffic Signs Manual Chapter 5. All road marking material shall be formed in thermoplastic material complying with BS 3262: Class A.

4. All works to be constructed in accordance with the Wiltshire Council's Design Guides, the Department of Transport Specification for Highway Works as amended and the requirements of the Wiltshire Council Highways Maintenance and Improvement Works Contract.

5. All signs & road markings are to be in accordance with 'Statutory Instrument No. 3113: The Traffic Signs Regulations and General Directions 2016'.

Please contact Jamie Mundy 01225 713496 to arrange a site meeting and to mark out site prior to works start date.

This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or Civil Proceedings. Wiltshire Council (100049050) 2021

F					
E					
D					
C					
B					
A	MAR 23	JGM	KR	KR	Repositioned gully
O	DEC 22	JGM	KR	KR	ORIGINAL
REV	DATE	DRAWN	CHECK	APPRV	DESCRIPTION

DRAWING PURPOSE:
DETAILED DESIGN

Wiltshire Council
Traffic & Network Management
County Hall, Bythesea Road, Trowbridge
Wiltshire, BA14 8JD
Tel: 0300 4560100
Website: www.wiltshire.gov.uk

PROJECT:
THE MIDLANDS, HOLT
WIDENED FOOTWAY AND DROPPED KERBS

DRAWING TITLE:
DETAILED DESIGN

SCALES:	NOT TO SCALE	SHEET SIZE:	A1
DRAWING NO:	2021-002/JGM/HOLT/001DD	REVISION:	A
FILE REF:	Bradford on Avon/Holt/2021-002: The Midlands Holt Detailed Design		