

AGENDA SUPPLEMENT (1)

Meeting: Strategic Planning Committee

Place: Council Chamber - County Hall, Bythesea Road, Trowbridge,

BA14 8JN

Date: Wednesday 23 January 2019

Time: 10.30 am

The Agenda for the above meeting was published on Friday 11 January 2019. Additional documents are now available and are attached to this Agenda Supplement.

Please direct any enquiries on this Agenda to Roger Bishton, of Democratic Services, County Hall, Bythesea Road, Trowbridge, direct line 01225 713035 or email roger.bishton@wiltshire.gov.uk

Press enquiries to Communications on direct lines (01225)713114/713115.

This Agenda and all the documents referred to within it are available on the Council's website at www.wiltshire.gov.uk

7 18/09473/WCM - Revision of the layout and design of Advanced Thermal Treatment Facility permitted under consent 14/12003/WCM at Northacre Renewable Energy, Stephenson Road, Northacre Industrial Estate, Westbury (Pages 3 - 6)

Appendix 5 – Environment Agency Briefing Note attached.

DATE OF PUBLICATION: 15 January 2019





Environment Agency internal briefing note on UKWIN article July 2018

What is this briefing note about?

This briefing has put been put together by the Environment Agency in response to a report published by UK Without Incineration (UKWIN) on 17 July 2018 entitled "Waste Incineration and Particulate Pollution: A failure of governance". This briefing is primarily intended for internal Environment Agency use, but can be shared externally if required.

This briefing addresses the various points made in the UKWIN report and provides further information about the challenges around monitoring particulates at the very low concentrations found in the exhaust gases of modern municipal solid waste (MSW) incinerators (also known as energy-from-waste or EfW plants). It also provides data on the amount of particulate matter and oxides of nitrogen (NO_x) emitted from EfW plants compared to other common sources, and how we assess the impact of an EfW plant's emissions when deciding whether to grant a permit. A list of key messages can be found at the end of the briefing.

Some explanation about different sizes of particulate matter and how it is monitored

Particulate matter (PM), also known simply as "dust", is emitted from many different sources including cars, household wood burning and agriculture. PM is classified according to size, with the smaller particles thought to be more likely to have an impact on health. PM_{10} , for example, is all particles with a diameter of 10 micrometres *or less*, and therefore includes smaller particles such as $PM_{2.5}$ and PM_{1} etc.

There is currently no validated, commercially available equipment for continuously monitoring PM_{10} and $PM_{2.5}$ emissions from EfW plants. Instead, plants are required to continuously measure *total* particulate matter (TPM). TPM includes particulates of *all* sizes including PM_{10} , $PM_{2.5}$, PM_1 etc as well as ultrafine particles (i.e. particles with a diameter of less than 0.1 micrometres).

Equipment is available to monitor PM_{10} and $PM_{2.5}$ discontinuously i.e. by using temporary monitoring equipment to sample the exhaust gas and then working out the results in a laboratory. Indeed, all new EfW plants are required to carry out this test when they first start operating. However, the concentrations of PM in the exhaust gases of modern EfW plants are so low that it is very difficult to get an accurate result from these tests, and will remain so until new monitoring methods and technology can be developed, validated and standardised for use.

In summary, specific emissions of PM_{10} and $PM_{2.5}$ from EfW plants can't be accurately measured using current technology. However, this isn't really a problem as all EfW plants continuously measure their TPM emissions, which includes particulates of all sizes. If we then want to know the impact of PM_{10} from an EfW plant under the worst-case scenario, we can simply assume that all of the TPM measured is PM_{10} , and the same for $PM_{2.5}$ and so on.

How does the Environment Agency assess impacts of EfW plants on the environment and human health?

We use a number of methods, but one of the key assessments for PM_{10} , $PM_{2.5}$ and NO_x is to compare the modelled emissions from the EfW plant with the European air quality standards for these pollutants (also taking into account the existing levels of pollution around the plant). To do that, we assume that the plant operates at its permitted limits 100% of the time (when in reality it won't, especially for TPM where plants often operate at around 10% of their limits). For PM_{10} and $PM_{2.5}$ we also assume that $TPM = PM_{10} = PM_{2.5}$ as explained above. Making these assumptions means that we assess the worst-case scenario, which is what we then base our permitting decisions on, and we also consult Public Health England (PHE) on every application that we receive.

Do EfW plants make a big contribution to particulate matter and NO_x emissions in the UK?

The table overleaf shows estimates of the amount of pollution that was released by different example sources listed in the Government's National Atmospheric Emissions Inventoryⁱⁱ (NAEI, which is referenced in the UKWIN report). These include figures for domestic wood burning (i.e. wood fires and stoves in people's homes) and emissions from road transport including cars, buses and lorries.

The data shows that emissions from EfW plants make up just 0.03% / 0.05% of total UK PM₁₀ / PM_{2.5} emissions. This is compared to 5.35% / 4.96% from traffic and 22.4% / 34.3% from domestic wood burning. For NO_x the figures are 1.12% from EfW plants compared to 33.5% from traffic and 0.57% from domestic wood burning.

2016 NAEI category	PM ₁₀	PM _{2.5}	NO _x
MSW incineration	0.057 kt = 0.03%	0.057 kt = 0.05%	9.97 kt = 1.12%
Domestic wood burning	38 kt = 22.4%	37 kt = 34.3 %	5.1 kt = 0.57%
Cars, buses, lorries	9.1 kt = 5.35%	5.36 kt = 4.96%	298.9 kt = 33.5%
Total UK emissions	170 kt	108 kt	893 kt

(Source: http://naei.beis.gov.uk; kt = kilotonne i.e. 1000 tonnes)

It is also important to understand that the overall impact of an EfW plant's emissions on human health for a given amount of PM or NO_x released will be lower than if that same amount was emitted by a car or a domestic wood fire. This is because EfW plants have tall stacks (chimneys) which help to disperse their emissions, whereas a car exhaust pipe or a chimney on a house releases its emissions much closer to ground level.

Are emissions from EfW plants causing significant health effects in England?

We consult Public Health England (PHE) on every EfW plant application that we receive and we will not issue a permit if its emissions will cause significant pollution or harm to human health. PHE has also published the following position statement on the health impact of waste incineration: "Modern, well managed incinerators make only a small contribution to local concentrations of air pollutants. It is possible that such small additions could have an impact on health but such effects, if they exist, are likely to be very small and not detectable." The study of all 22 British EfW plants in operation 2003–10ⁱⁱⁱ indicates very low concentrations of incinerator-related PM₁₀ within 10 km of the plants at postcode level.

What is the Environment Agency's response to the points covered in the UKWIN report?

The following table provides a summary of our responses to the main points covered in the UKWIN report and should be read together with the information above.

Claim made or policy called for	Environment Agency response		
The public have been "kept in the dark	The fact that PM ₁₀ and PM _{2.5} emissions cannot be continuously monitored does		
about PM ₁₀ and PM _{2.5} emissions" as	not mean that they cannot be estimated and the estimates made publically		
there is no equipment available for	available. Indeed, this is what the NAEI does, with data available to the public		
their continuous monitoring.	going back to 1970. The 2016 data for example shows that EfW plants emitted an		
	estimated 57 tonnes of both PM ₁₀ and PM _{2.5} , representing 0.03% and 0.05% of		
	total UK emissions respectively. In comparison, the NAEI estimates that domestic		
	wood burning accounted for 22% and 34% of total UK PM ₁₀ and PM _{2.5} emissions		
	respectively.		
There is a "TPM fiddle" which prevents	All EfW plants must continuously monitor and report TPM emissions on a		
the public from being told about TPM	quarterly basis. The results of this monitoring are placed on the public register and		
emissions from incinerators.	show that many EfW plants operate at around 10% of their emission limit for TPM.		
There is a "no equipment fiddle" which	The method used by the NAEI is not a form of <i>measurement</i> but rather it is a		
allows operators to say they can't	conservative <i>estimate</i> of the PM_{10} and $PM_{2.5}$ emissions which relies on the simple		
measure PM ₁₀ and PM _{2.5} when in	assumption that TPM = $PM_{10} = PM_{2.5}$.		
actual fact they can measure them "by			
proxy".	A 1: 11 F04		
Incinerator operators have been	As explained above, EfW operators cannot specifically measure their PM ₁₀ and		
ignoring Environment Agency guidance	PM _{2.5} emissions in an accurate way. As the UKWIN report highlights, our Pollution		
on reporting PM ₁₀ and PM _{2.5} ; PM ₁₀ and PM _{2.5} reporting should be made	Inventory (PI) guidance suggests that emission factors can be used. However, these emission factors are from 2000 (when not all EfW plants were required to be		
mandatory and guidance should be	fitted with bag filters) which may help explain the difference between the UKWIN		
strengthened and enforced.	figures (226.1 tonnes for England in 2017) and the NAEI data (57 tonnes for the		
strengthened and emoreed.	whole of the UK in 2016). We are in the process of updating our guidance to make		
	it clear that PM_{10} and $PM_{2.5}$ emissions must be reported on the PI, as well as		
	providing an updated method to enable operators to estimate them.		
A limit value should be placed on PM ₁	A limit on PM ₁ emissions is arguably not necessary as PM ₁ will be included in TPM		
emissions from incinerators if possible.	emissions, and in any case, PM ₁ emissions will be taken into account when		
•	assessing an EfW plant's emissions against the air quality standards for PM ₁₀ and		
	PM _{2.5} (which will both include PM1 and ultrafines as explained above).		
An incineration tax should be	Whether waste incineration should be taxed or a moratorium put in place are		
introduced under the "polluter pays"	decisions for the Government and not the Environment Agency. We will continue		
principle and there should be a	to consider permit applications for new EfW plants in the same way i.e. by		
moratorium on new incinerators until	assessing the impacts of particulates and other pollutants on the environment and		
this and the other policies mentioned	human health.		
are in place.			

Page 4 Page 2 of 3

Summary/key messages for a non-technical audience

- The UKWIN article is about municipal solid waste (MSW) incinerators, also known as energy-fromwaste or EfW plants.
- The article talks mainly about emissions of particulate matter (PM), which is also known simply as "dust". PM is emitted from many different sources including cars, household wood burning and agriculture.
- PM can be classed by size e.g. PM_{10} refers to all particles with a diameter of 10 micrometres (μ m) and smaller, and $PM_{2.5}$ means those with diameter of 2.5 μ m and smaller. This means that PM_1 and "ultrafine particles" (with a diameter of less than 0.1 μ m) are included in PM_{10} and $PM_{2.5}$ measurements.
- Emissions of PM₁₀ and PM_{2.5} from modern EfW plants are so low that they cannot be accurately specifically measured using currently available technology. However, this isn't a problem as all EfW plants continuously monitor emissions of total PM (TPM) which includes particles of all sizes including PM₁₀, PM_{2.5}, PM₁ and ultrafine particles.
- EfW plant operators report their continuous monitoring results (including TPM) to the Environment Agency (EA) every 3 months and these are all placed on the public register^{iv}.
- EfW plants also submit annual reports of their emissions to the EA's Pollution Inventory (PI). The UKWIN article is critical of the fact that EfW plants do not always provide estimates of their PM₁₀ and PM_{2.5} emissions to the PI. Because of this, the EA is going to update its guidance to make it clear that estimates for these pollutants need to be submitted in the future.
- When the EA assesses applications for new EfW permits, they compare the maximum emissions
 from the plant against European air quality standards. For PM₁₀ and PM_{2.5} this means making a
 worst-case assumption that all of the EfW plant's emissions will be either PM₁₀ or PM_{2.5}. The EA will
 not issue a permit for an EfW plant if its emissions will cause significant pollution or harm to human
 health, and it consults Public Health England (PHE) on every application it receives.
- PHE's position is that well run and regulated modern Municipal Waste Incinerators are not a significant risk to public health. This view is based on detailed assessments of the effects of air pollutants on health and on the fact that modern and well managed Municipal Waste Incinerators make only a very small contribution to local concentrations of air pollutants.
- For more information on PHE's position, see:
 https://www.gov.uk/government/publications/municipal-waste-incinerator-emissions-to-air-impact-on-health
- EfW plants are an extremely small source of PM in the UK, giving rise to just 0.03% / 0.05% of total UK PM₁₀ / PM_{2.5} emissions in 2016 according to government estimates. This compares to 5.35% / 4.96% from traffic and 22.4% / 34.3% from wood fires and stoves in people's houses.
- The other pollutant mentioned in the UKWIN article is oxides of nitrogen (NO_x). EfW plants are also a relatively small source of NO_x in the UK, giving rise to 1.12% of emissions in 2016 compared to 33.5% from traffic and 0.57% from domestic wood burning according to government estimates.

Page 5 Page 3 of 3

V1.0 17/08/18

i http://ukwin.org.uk/btb/Particulate_Pollution_July_2018.pdf

ii http://naei.beis.gov.uk/data/

iii https://pubs.acs.org/doi/pdf/10.1021/acs.est.6b06478

iv https://environment.data.gov.uk/public-register/view/index

